



Hilts Molds

Quality System

Catalog



Dolphin Sports, Inc.
881 S. Rose Place
Anaheim, CA 92805
Phone: (714) 687-9160
Fax: (714) 687-9162
Email: info@hiltsmolds.com
Website: www.hiltsmolds.com

Dolphin Sports, Inc.

Price Terms and Shipping.

<u>Price Grp.</u>	<u>Price Ea.</u>
12	\$39.95
13	\$40.95
15	\$44.95
20	\$64.95
25*	\$69.95

* Price point added in 2005 for new fish downrigger molds.
See it on Page 35!!

We have updated our pricing structure with regard to our accessory items. They are individually priced in the catalog to make it easier for you to find the price on the item(s) you need.

Payment Options

Checks, Money Orders, and Credit Card Payments accepted. All funds in US Dollars only. Mail Orders and Phone Orders accepted. Internet catalog and ordering available now! Catalogs are available for \$3.00 in the US, \$5.00 International.

Note: International pricing may be substantially higher due to import/export. Contact us for details.

Shipping and Handling

Published shipping rates are for Continental U.S. Customers only. Alaska, Hawaii, and U.S. Territories add 20% of order; \$12.95 minimum. International orders are actual freight; contact us for quote on shipping price. Allow approximately 2 weeks to receive your product. Prices are subject to change without notice. Dolphin Sports, Inc. reserves the right to interpret our term sheet and catalog statements.

Special Note about Product Weights

Lead is available in many forms with added compounds, such as tin and antimony, in various quantities. These additional compounds can and do change the weight variable of pure lead, making it lighter or heavier. As a result, the exact weight of your finished product may vary slightly from the stated weight of our molds. The closest possible results are obtained by using pure lead.

Hilts Mold's Warranty

Dolphin Sports, Inc. warrants its Products to be free from defects in a period of 30 days from the date of purchase. This warranty does not cover damage or malfunctions caused by accident, abuse, or normal expected wear. **Banging or pounding your mold in order to remove parts will cause the hinges to break! Broken hinges will not be covered.**

If your Hilt's Mold has a defect within the terms of the warranty, you should return it to us at the address insurance costs and transportation arrangements will be borne by you and are your responsibility. We will repair or replace the Product, at our option, without further cost to you (including free return transportation and insurance). If, however, the repair is not covered by the provisions of this warranty, your Hilt's Mold will be repaired and returned to you at a reasonable charge for labor, parts, and return transportation and insurance.

881 South Rose Place, Anaheim, CA 92805
Phone: (714) 687-9160 Fax: (714) 687-9162
Web Site: www.hiltsmolds.com Email: info@hiltsmolds.com

Dolphin Sports, Inc

Hilt's Molds Order Sheet

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Work Phn: _____ Home Phn: _____

Email: _____

Rev 2/8/2012

Quantity	Description	Catalog #	Price Ea.	Extended Price

<p style="text-align: center;">Shipping & Handling (please check method and add to order).</p> <p><input type="checkbox"/> Standard Priority service to Contiguous 48 states (see below for charges)</p> <p style="margin-left: 40px;">Subtotal Shipping \$</p> <p style="margin-left: 80px;">\$01-\$9.99 \$ 7.55</p> <p style="margin-left: 80px;">\$10.00-\$49.99 \$ 10.85</p> <p style="margin-left: 80px;">\$50.00-\$99.99 \$ 13.55</p> <p style="margin-left: 80px;">\$100.00-\$199.99 \$ 18.55</p> <p style="margin-left: 80px;">over \$200.00 \$ 23.55</p> <p><input type="checkbox"/> Alaska, Hawaii, & US Territories- add 20% of order (\$13.55 min, Priority Flat Rate)</p> <p><input type="checkbox"/> Air/Expedited shipments (Phone orders paid by credit card ONLY)</p> <p><input type="checkbox"/> International full shipping cost + additional \$10.00 expedited handling fee</p> <p><input type="checkbox"/> Canada/Mexico: (International Flat Rate up to 20 lbs) \$42.00 minimum</p> <p style="text-align: center;">Credit Card Orders</p> <p>Card Holder Name: _____</p> <p style="margin-left: 40px;">Please charge to my credit card account as indicated below:</p> <p style="margin-left: 40px;">_____ VISA _____ DISCOVER _____ MC _____ AMX</p> <p>Account# : _____ Exp. Date: _____ CVC# _____</p> <p>Signature: _____</p>		<p>Order Sub-total</p> <hr/> <p>CA 7.75% sales tax</p> <hr/> <p>Shipping & Handling</p> <hr/> <p>Total Order</p>	
--	--	---	--

For Office Use Only:					USPS	P.P.	PRIORITY
			Ship Date				
R	DLR	MD N/F	MD W/F	DIS	UPS	STD	OTHER

Mail order with payment to: Dolphin Sports, Inc.

Phone (714)687-9160 881 S. Rose Place, Anaheim, CA 92805 Fax (714)687-9162

Hilts Molds Product Listing

Part Type	Category	Price Grp	Page
ARKY FLIPPIN	JIG MOLDS	13	13
ARKY JIG	JIG MOLDS	12	12
BANANA HEAD	JIG MOLDS	12	12
BIG MOJO BULLET NOSE	JIG MOLDS	15	15
BONITA JIG	JIG MOLDS	15	14
BULLET JIG	JIG MOLDS	12	9
CRAPPIE & PAN FISH	JIG MOLDS	12	10
DARTER	JIG MOLDS	12	8
FIBER ROUND HEAD	JIG MOLDS	12	10
FOOTBALL HEAD	JIG MOLDS	12	10
HEADS UP JIG	JIG MOLDS	12	8
ROUND HEAD	JIG MOLDS	12	11
SCAMPEE BULLET NOSE	JIG MOLDS	12	15
SHAD DART	JIG MOLDS	12	14
SLIDER	JIG MOLDS	12	16
SPIN JIG	JIG MOLDS	12	20
TOUT HEAD	JIG MOLDS	12	16
TROUT HEAD	JIG MOLDS	12	10
TUBE JIG	JIG MOLDS	12	9
CASTING SPOON	LURES	12	18
DEEP SEA TROLLING HD	LURES	15	26
MICKY	LURES	15	18
SLAB (FISH SHAPED)	LURES	15	18
BANANA SPIN	SINKER MOLDS	15	25
BANK SINKER	SINKER MOLDS	15	21
BASS CASTING	SINKER MOLDS	15	20

Part Type	Category	Price Grp	Page
BEST PINCH-ON	SINKER MOLDS	15	19
BULLDOZER	SINKER MOLDS	15	23
BULLET SLIP	SINKER MOLDS	15	20
CANNON BALL	SINKER MOLDS	13	24
CLAW SINKER	SINKER MOLDS	15	23
CUSHION SINKER	SINKER MOLDS	15	27
DOWN RIGGER	SINKER MOLDS	20	24
FISH DOWNRIGGER	SINKER MOLDS	21	35
EGG SINKER	SINKER MOLDS	15	21
PENCIL SINKER	SINKER MOLDS	13	27
PYRAMID	SINKER MOLDS	15	22
REMOVABLE SPLITSHOT	SINKER MOLDS	13	19
ROCK COD	SINKER MOLDS	13	26
RUBR-KOR	SINKER MOLDS	15	19
SILVER DOLLAR	SINKER MOLDS	15	26
SNAGLESS	SINKER MOLDS	15	27
SPLIT SHOT	SINKER MOLDS	12	19
STORM SINKER	SINKER MOLDS	15	23
SWIVEL AND SLIP	SINKER MOLDS	12	20
TORPEDO/RING	SINKER MOLDS	12	25
WALKING SINKER	SINKER MOLDS	12	22
DECOY ANCHOR	SPECIALTY MOLDS	15	28
MUZZLE LOAD RIFLE BALL	SPECIALTY MOLDS	12	28
ARKY SPINNER	SPINNING LURE	12	17
BULLET HEAD SPINNER	SPINNING LURE	12	17
BUZZ BAIT(FLAT HEAD)	SPINNING LURE	12	17
HORSE HEAD	SPINNING LURE	12	13
SPINNER BODY MOLD	SPINNING LURE	12	20

Lead Molding Instructions

Before melting your own lead, read and understand all of these important safety rules!

Some Safety Tips

Molding lead is economical, fun, and easy when done properly. We suggest you follow these simple tips:

1. Always wear gloves and eye protection.
2. Always work in a well ventilated area! Use strong ventilation!
3. Keep the work area around the molten metal dry and free of moisture. This includes the crucible.

Moisture expands when it comes into contact with hot metal. This expansion can cause "splatter" of the hot metal, and can cause serious burns.

4. NOTICE: We recommend a light coat of Vaseline on your hands, arms, and face. This will help prevent burns if "splatter" does occur.
5. Always wear a long sleeved shirt, long pants, and shoes.
6. Pre-heat all tools that come into contact with lead.

Liability Disclaimer

Dolphin Sports, Inc., does not accept any liability of any kind for accidents or poisonings by lead fumes

Let's Get Started!

Pure lead melts at 621 degrees F., so you must be extremely careful. Lead is alloyed with tin which melts at a slightly lower temperature. Most lead is alloyed with antimony, which melts at a slightly higher temperature.

The best lead to use is "caulking lead." Try to obtain as pure a lead as possible (not to exceed 6 % antimony content)

You will mold better quality parts, especially on smaller jigs.

Where to Buy Lead

You may use wheel weights or shot gun shot. Usually junk yards have lead. If you have any old jig heads that are no longer desirable or have broken hooks, you may also remelt these.

Melting Lead

Do not use an acetylene torch. You may melt your tools and cause an accident!

The most desirable and safest way is to use a quality lead melting furnace such as those sold by Dolphin Sports, Inc.

Pre-Heating and Smoking Mold


Place your mold on top of the furnace to pre-heat the mold while the lead is melting. Mold should sit on the mold sides with both sides in contact of the furnace. Take extra caution not to melt your plastic handles.

These handles are made of PVC and are very strong, but will melt at high temperatures. If you melt your handles, it's your responsibility. Next, you may want to smoke your mold. This process is done with a candle and will enable your parts to be released from the mold easily.

The mold cavities should be ugly black when properly smoked. Now let's check and clean the part surface of your mold. Carefully inspect for dirt or lead build-up on the parting surface.

Close mold and hold up to light to make sure mold closes completely or your parts will have "flash".

Next, you must check to make sure your hooks, wires, and eyelets fit the mold and the mold closes completely. Hilts Molds are very precisely machined. Hook numbers are on every mold. Our inserts fit our molds. If you use other inserts make sure they fit properly or we disclaim our warranty.



WARNING: Melting lead and casting lead objects will expose you and others in the area to lead, which is known to cause birth defects, other reproductive harm, and cancer.

Lead Molding Instructions, cont.

Warming Your Mold

Do not use Acetylene Torch. You must pre-heat your mold and all tools to produce quality parts. This is easiest done by placing the mold over your lead pot.

Casting Parts

Now close your mold and make some trial parts (without any inserts). Do this 2 or 3 times until your mold produces a good finished part. A good finished part is a part without visible fracture lines in the lead. Be careful, without inserts your mold may leak through!

Now put your insert in place. After closing the mold, you may lay the mold on your table and gently tap with a piece of lead to seat inserts or hooks. Make a casting. Fill the mold until the sprue hole is full. Once the sprue hardens, you can open the mold. Lead cools quickly and will not run out.

Any time you stop casting metal for more than 2 minutes, put your mold back over the lead furnace (as in pre-heating) to keep the mold warm.

Tips

Eyelets sometimes are hard to load into mold. Rub a bar of soap on eyelet cavity. This will hold the eyelet perfectly.

After using your mold a while, it is normal to have lead build up on the parting surface. Remove this with a razor blade. Be sure the razor lays flat. Do not remove any of the mold material.

The lead will load your razor. Clean the razor by rubbing the edge of a penny from side to side on it.

Removal and Trimming Molded Parts

Casting with larger hooks (spinner baits, larger jigs): These can easily be grabbed by hand and pulled out. Do not grab newly molded lead! If you cannot grab the hook or wire by hand, pliers must be used to grab the casting at the gate area and remove. Do not use screwdrivers or pry casting loose with anything. You may damage your mold.


Molding small jigs from a bottom pour pot: Bring the mold in firm contact with the spout- lift the handle- count 1-2-3-4 - release- and open the mold.

REDUCING EXPOSURE: Lead contamination in air, in dust, and on your skin is invisible. **Keep children and pregnant women away** during use and until clean up is complete.

Risk can be reduced -- but not eliminated -- with strong ventilation: washing hands immediately after use of these products, before eating or smoking; and careful cleaning of surfaces and floors with disposable wipes, after lead dust has had a chance to settle.

Use a lead - specific cleaner with EDTA, or a high - phosphate detergent (like most detergents sold for electric dishwashers) and bag wipes for disposal.

Use
strong
ventilation



The Perfect Replica Mold!

It's Back!

Cat #	OZS.	Insert	Price Grp
PRM-MOLD	1 Cav 2" x 5" x 1"	PRMINS	20
PRINSERTS	Extra Pair Rubr Inserts	Rubr Inserts	\$14.99

Jig Heads

Sinkers


Lures

Craft Items

Tin Soldiers

Your Designs!

Create your own Custom Mold Projects!



We all have our own idea of what the perfect fishing lure is- it's locked inside our head because there's no way to make it. Well, take heart my friend!

Dolphin Sports has brought back an old Hilts Molds favorite, the Perfect Replica Mold! This mold uses a hollow frame with special vulcanizing rubber inserts that allow you to create your own custom mold at a very reasonable price. Now you have the ability to make that one of a kind secret weapon! The uses of the Perfect Replica Mold are limited only by your imagination- projects of amazing detail can be produced with this mold (see our craft reproduction project above of the bodies for the winged angels).


PRM-Mold includes: 1 PRM Mold with handles, 2 PRM- Inserts (rubber), 1 powder brush, 1 bag release powder (talc), 2 set screws, 1 allen wrench & 4 locator pins. Additional inserts are available.

Heads Up Jig Mold Jiggler II


Cat #	OZS.	Hook	Price Grp
HDS-M	1 Cavity Ea.	32760	12
	1/16-1/8-3/16-3/8-1/2	4 - 4/0	

Heads Up Jig Advantage:

"The Heads Up Jig puts the working end of the hook right up to the mouth of the fish. While fishing directly under a boat or from shore, the hook is always in the best position for a solid hookset. Works great with plastic grubs or worms." *



Sold under license from Heron Mfg.
Not for commercial use.



Improved Darter Jig Molds

Cat #	OZS.	Hook	Price Grp
IMDART-1	1 Cavity Ea.	34184BR	12
	1/8-3/16-1/4-3/8	3/0-4/0	
IMDART-2	1 Cavity Ea.	34184	12
	1/2-3/4-1	5/0-6/0	


must use fiber weedguards, pg.31

"Totally Effective! I have tried endless styles of jig heads, and this is the most weedless. I have thrown this jig into the heaviest brush & trees, and it's unique design leaves nothing to hang up except the hook in a fish's mouth. The catch/bite ratio is the highest I have ever used"

* Don Sollberger, Fishing Pro, Sunset Bait & Tackle

Darter Jig Molds

Cat*	OZS	Hook# 32762	Price Grp
DARTER-M	1/64	#8-#10	12
	1/32	#6-#8	
1 Cavity	1/16	#2-#4	
	1/8	#1-#2	
Ea. Size	1/4	1/0-2/0	
	3/8	2/0-4/0	




Tube Jig Molds

Cat*	OZS	Hooks	Price Grp
TJM-32-16	3 Cav. Ea:	32760, 32762,	12
	1/32oz	91751	
	1/16oz	#6 thru 1/0	
TJM-18-316	2 Cav. Ea:	32760, 32762,	
	1/8oz	91751	
	3/16oz	1/0 thru 3/0	
TJM-14-516	2 Cav. Ea:	32760, 32762,	
	1/4oz	91751	
	5/16oz	#2 thru 3/0	
CGZ-M	1 Cav. Ea:	Your Favorite 90 Degree Bend Jig Hook	
	1/8oz		
	1/4oz		
	3/8oz		
CGZ-38-3	3 Cav. Ea:	1/0 - 3/0	
	3/8oz		

Tube Jigs are Great!


- * The lead is completely covered
- * No painting needed on lead head
- * The tube covers the front of the jig head to prevent short bites from tearing skirts
- * Fast color change without untying
- * Economical
- * Catches all species of fish

1



Hilts Original tapered "speed loader"

2




Insert hook into tube skirt where you want the eye of the hook to end up

3



Thread lead head into tube skirt

4



Go Fishing!

Bullet Jig Molds

Cat*	OZS	Hooks	Price Grp
LMBUL-18	4 Cav.	32760 #2-#1	12
	1/8oz	91751 #4-#2-#1	
		32762 #2-#1	
LMBUL-14	3 Cav.	32760 1/0-2/0	
	1/4oz	91751 #2-#1-1/0	
		32762 1/0-2/0	

Perfect for fishing small, effective plastic grubs for all fresh water game fish. Great for saltwater bay fishing too!


Phone # (714) 687-9160



Web Site: www.hiltsmolds.com

Football Head Jig Molds

Cat*	OZS	Hooks	Price Grp
LMF-14	1/4oz	32746BLN 1/0-2/0 91751 #1	12
LMF-38	3/8oz	32746BLN 2/0	
LMF-12	1/2oz	32746BLN 2/0	
LMF-58	5/8oz	32746BLN 2/0 91750 5/0	
LMF-34	3/4oz	91750 5/0 91751 2/0-4/0	
LMF-1	1oz	91751 4/0	



collarless
trout fly
jig




Trout Fly Head Molds


Cat*	OZS	Hooks # 32760 or #32762	Price Grp
100-TROUT-4	4ea.1/100oz	#10	12
80-TROUT-4	4ea.1/80oz	#10	
64-TROUT-6	6ea. 1/64oz	#8-#10	
32-TROUT-6	6ea. 1/32oz	#6-#8	
16-TROUT-6	6ea. 1/16oz	#2-#4	
18-TROUT-6	6ea. 1/8oz	#1-#2	
14-TROUT-6	6ea. 1/4oz	1/0-2/0	
38-TROUT-6	5ea. 3/8oz	2/0-4/0	

Fiber Round Head Jig Molds

Cat*	OZS	Hooks # 32756 or #32746BLN	Price Grp
FIBER-RH-64-3	3ea.1/64oz	#8-#10	12
FIBER-RH-32-3	3ea.1/32oz	#6-#8	
FIBER-RH-16-3	3ea.1/16oz	#2-#4	
FIBER-RH-18-2	2ea.1/8oz	#1-#2	
FIBER-RH-14-2	2ea.1/4oz	1/0-2/0	
FIBER-RH-38-2	2ea.3/8oz	2/0-4/0	




Mold in delicate strands of fiber to protect from hang ups in fishy areas. Nylon fiber, pg.32




Crappie & Pan Fish Round Head Molds

Cat*	OZS	Hooks #91751	Price Grp
575-RH-M	1ea. 1/64oz	#8-#10	12
	1ea. 1/32oz	#6-#8	
	1ea. 1/16oz	#2-#4	
	1ea. 1/8oz	#1-#2	
	1ea. 1/4oz	1/0-2/0	
	1ea. 3/8oz	2/0-4/0	
575-RH-64-32	3ea. 1/64oz	#8-#10	
	3ea. 1/32oz	#6-#8	
575-RH-16-18	3ea. 1/16oz	#2-#4	
	3ea. 1/8oz	#1-#2	
575-RH-14-38	3ea. 1/4oz	1/0-2/0	
	3ea. 3/8oz	2/0-4/0	




*Hook fits mold cavity accurately, no flash
 *True round ball head design
 *Tapered collar & barb easy to put bait on and holds them



One of the most popular and effective jig head styles available!

Round Head Jig Molds


Cat #	OZS	Hooks				Price Grp
		#32760	#91750	#91751	#32762	
LMRH_M	1 ea. 1/32oz	#8		#8	#8	12
	1 ea. 1/16oz	#4-#1		#4	#4-#1	
	1 ea. 1/8oz	#1-2/0		#1	#1-2/0	
	1 ea. 1/4oz	#1-2/0	1/0	#1-2/0	#1-2/0	
	1 ea. 3/8oz	2/0-4/0	1/0	1/0-2/0	1/0-4/0	
	1 ea. 1/2oz	2/0-5/0	3/0	2/0-4/0	2/0-4/0	
LMRH-32-6	6 ea. 1/32oz	#8		#8	#8	
LMRH-16-6	6 ea. 1/16oz	#4-#1		#4	#4-#1	
LMRH-18-6	6 ea. 1/8oz	#1-2/0		#1	#1-2/0	
LMRH-14-6	6 ea. 1/4oz	#1-2/0	1/0	#1-1/0	#1-2/0	
LMRH-38-5	5 ea. 3/8oz	2/0-4/0	1/0	1/0-2/0	1/0-4/0	
LMRH-12-5	5 ea. 1/2oz	2/0-5/0	3/0	2/0-4/0	2/0-4/0	
LMRH-34	1 ea. 3/4oz	5/0	5/0	5/0		
LMRH-1	1ea. 1oz	34185 7/0				



Arky Jig Molds

Cat #	OZS	Hook 91751	Price Grp
ARKY-18	1 ea. 1/8oz	1-1/0	12
ARKY-14	1ea. 1/4oz	1/0-2/0	
ARKY-38	1ea. 3/8oz	1/0-2-0	
ARKY-12	1ea. 1/2oz	3/0-4/0	
ARKY-58	1ea. 5/8oz	3/0-4/0	
ARKY-34	1ea. 3/4oz	3/0-5/0	
ARKY-M	1ea. 1/8-1/4-3/8-1/2oz fiber preforms only	see above	

These molds available with weed guards.
Specify W.G. after Cat# if you want weed guard molds.



Jim Goff



Professional Fishing Guide
Fish Inc.
Henderson, NV 89015
(702) 565-8396

One of the most effective and consistent lures for striper fishing is the Bucktail Jig.

First, let's talk about stripers schooling on the surface, sometimes referred to as "boiling". This occurs when a striper school gets below a school of baitfish and push them to the surface. Once the stripers have the baitfish on the surface, they will tailwhip and injure as many as possible. Anglers seeing this action should move to the fringe of the boil and cast bucktail jigs to the outer edges. Usually a very fast retrieve will bring jolting strikes as the jig resembles the fleeing baitfish.

The second method involves vertically jiggling a bucktail in areas where stripers continue to feed subsurface for up to 15 to 20 minutes after the boiling. Dropping the bucktail jig vertically to the bottom in water as deep as 100 feet will bring many strikes, but the majority of hookups result from reeling the jig as fast as possible back to the surface. This results in a reaction strike from the subsurface feeding fish and ensures a good hook set. Line in the 12 to 20 lb line class is recommended as lighter line will simply snap due to the violent strike and the fast retrieve.



You just can't beat a bucktail jig!




Banana Head Jig Molds

Cat #	OZS	Hook 91750	Price Grp
LMBH-1	1ea. 1oz	5/0	12
LMBH-M	1ea. 3/4-1-1 1/2-2oz fiber preforms only	5/0	

These molds available with weed guards.
Specify W.G. after Cat# if you want weed guard molds.






What's Flippin'?

One of the most reliable methods for taking really large bass is "flippin". Have you ever fished with a cane pole? Flippin is very similar. It's a way of hunting shallow water with heavy cover for fish. You need to stalk along the area quietly while hunting for fish and prime spots. Flippin jigs requires the use of a heavy bait to get through the cover, a stiff weed guard to eliminate hang ups, and a heavy hook to handle the big ones. Tie this on a long pole with a short line, pop it through "fishy" spots with dense cover, jig it up and down, and hang on!

* See page 31 for fiber weed guards

Arky Flippin' Jigs

Cat*	OZS	Hook#32786	Price Grp
ARKY-18-FLIPPIN	1ea. 1/8oz	3/0	13
ARKY-14-FLIPPIN	1ea. 1/4oz	3/0-4/0	
ARKY-38-FLIPPIN	1ea. 3/8oz	3/0-5/0	
ARKY-12-FLIPPIN	1ea. 1/2oz	4/0-6/0	
ARKY-58-FLIPPIN	1ea. 5/8oz	4/0-6/0	
ARKY-34-FLIPPIN	1ea. 3/4oz	4/0-6/0	




Horse Head Jig Molds

Cat #	OZS	Hooks	Swivel	Price Grp
LMHORSE-32-4	4ea 1/32oz	32760-32762 #6	#14	12
LMHORSE-16-4	4ea 1/16oz	32760-32762 #4	#14	
LMHORSE-M	1ea 1/8oz	32760-32762 #1-#4	#12-10	
	1ea 3/16oz	32760-32762 #1-1/0	#12-10	
	1ea 1/4oz	32760-32762 1/0-2/0	#12-10	
	1ea 5/16oz	32760-32762 2/0-4/0	#12-10	
LMHORSE-12-34-1	1 ea. 1/2-3/4-1oz	34184 4/0-6/0	#10	
LMHORSE-112-2	1 ea. 1 1/2-2oz	34184 6/0	#10	


Striper Killer!

The Horse Head Jig is a bucktail jig on steroids! The unique head shape provides darting, diving game fish action, while the spinner provides flash attraction to trigger a strike! Fish this jig in a manner similar to the standard bucktail- work the perimeter schools of boiling stripers, or dive it deep and retrieve fast with a stop and go method to take advantage of this baits finesse properties.



Shad Dart Jigs

Cat #	OZS	Hooks 32760, 575	Price Grp
LMDART-32-6	6ea 1/32oz	#8	12
LMDART-16-6	6ea 1/16oz	#4	
LMDART-18-6	6ea 1/8oz	#1	
LMDART-14-6	6ea 1/4oz	1/0	




If you like to have real fishin' action, about the middle of May shad migrate upstream. Tie some fish hair on this upward jiggling action bait and you are armed with a truly effective fishing weapon


Hey Saltwater Anglers:

We haven't forgotten about you! Here's a jig that's designed for fast action fishing for Bonita or other pelagic game fish when a hair jig is just the ticket. Try these around breezing surface fish, near kelp paddies, or even on the slide after a jig strike. Just tie on your favorite fish hair and/or mylar to create your very own fish catching machine.


Bonita Jig Mold

Cat. #	OZS.	Hooks	Price Grp
LMBJ--M	1 ea.		15
	1/2oz (1/0)	91750 1/0	
	1/2oz (3/0)	91750 3/0	
	3/4oz (5/0)	91750 5/0	
	1 1/2oz 8/0	34184 8/0	





Mojo Bullet Nose Jig Molds			
Cat. #	OZS.	Hooks	Price Grp
LMBN-12	1ea 1/2oz	91750 1/0	12
LMBN-34	1ea 3/4oz	91750 5/0	
LMBN-1	1ea 1 oz	91750 5/0	
LMBN-112	1ea 1 1/2oz	91750 5/0	
LMBN-2	1ea 2 oz	91750 5/0	
LMBN-3	1ea 3oz	34184 8/0	



The Plastics Revolution!

Plastics and lead heads! Nothing has changed the way we fish more in the last 25 years. The revolution continues with hundreds of new plastic patterns, colors, and styles introduced each year. The basic lead head technology has remained pretty stable, with the number one fish producer year after year continuing to be the mojo style lead head. These versatile jigs can be fished with a variety of baits, from curly tail grubs to scampi/shrimp twin tails, artificial squid, large tube baits, and just about anything else you can imagine in sizes ranging from 2" all the way to 12". With that kind of variety, it's really tough to go wrong by choosing the mojo style as your standard lead head. Mojo rigged baits can be fished fast or slow, trolled, bounced, yo-yoed: it's really hard to fish them wrong! New uses are being found for mojo jigs all the time. Southern California anglers rig them with live squid during the white sea bass bite to fish the water column with a controlled, weighted bait and increase their odds of a hook up.

Big Mojo Bullet Jig Molds


Cat. #	OZS.	Hooks	Insert	Price Grp
LMBN-6	1ea 6oz	34081 10/0	All	15
LMBN-8	1ea 8oz	34081 10/0	molds	
LMBN-212	1ea 12oz	34081 12/0	require	
LMBN-216	1ea 16oz	34081 12/0	BSE-3	
LMBN-224	1ea 24oz	34081 12/0	page 29	



(Uses # 3 Brass Eyelet & 10/0 or 12/0 Hook)


Slider Head Jig Mold

Cat. #	OZS.	Hooks: 32760, 575	Price Grp
SLIDER-M	1ea 1/8oz	#1-1/0-2/0	12
	1ea 1/4oz	#1-1/0-2/0	
	1ea 3/8oz	1/0-2/0-4/0	



Excellent for:

- * Suspended fish
- * Shaking Method (darts erratically)
- * Finesse fishing with sissy worms and small grubs



Salt Water Trout & Red Fish Tips


by Mr. "Ken"

Many methods are used for fishing sea trout. However, one of the most productive is using jigs or grubs. Hilts manufactures several molds for making jig or grub heads. The more popular are as follows: LMBUL-14, Bullet Jig (pg. 9), LMRH-14-6 Round Head (pg. 11), and TOUT-14-3 (below). 1/4oz is generally the best size, except when tides are running strong and a heavier head is needed to reach the bottom.

The simplest way to fish for trout with jigs and grubs is to troll at a very slow speed around oyster or shell banks, where trout are feeding on shrimp or minnows. When you find more than one fish in a spot, stop and cast, bouncing the jig off the bottom. Fishing the jigs around the mouth of creeks also produces trout. When fishing in deep water over shell banks, anchor your boat and bounce the jigs off the bottom.

For the angler fishing from shore, bridges, or fishing piers, casting out and bouncing the jigs using rod tip action is a sure fire way of producing trout.

Incidentally, all of the above methods and techniques will often produce bountiful catches of red fish and flounder. You may also use these jigs in tandem for white trout by jigging the bottom.




Excellent salt water jig head with heavy wire/wide gap jig hook and double barb to hold plastics on. Attach your favorite shrimp or tout body and catch salt water trout, red fish, and other species.

Tout Jig Head Molds

Cat. #	OZS.	Hooks	Price Grp
TOUT-M	1ea 1/8oz	All molds use 575-H 3/0-4/0	12
	1ea 1/4oz		
	1ea 3/8oz		
TOUT-18-3	3ea 1/8oz		
TOUT-14-3	3ea 1/4oz		
TOUT-38-3	3ea 3/8oz		

R-EYE spinner bait wire is a universal wire with a long shank to accommodate making all sizes of lures. Cut to desired length when assembling.



Bullet Nose Spinner Bait


Cat. #	OZS	Wire	Hooks 91706N or 32608N	Price Grp
LMSB-18	1ea 1/8oz	R-EYE	1/0 or 2/0	12
LMSB-14	1ea 1/4oz	R-EYE	3/0-5/0	
LMSB-38	1ea 3/8oz	R-EYE	3/0-5/0	
LMSB-12	1ea 1/2oz	R-EYE	3/0-5/0	
LMSB-34	1ea 3/4oz	R-EYE	5/0	
LMSB-1	1ea 1oz	R-EYE	5/0	

*R-EYE wires on page 32

Arky Spinner Bait

Cat. #	OZS	Wire	Hooks 32608N or 91706N	Price Grp
SBARKY-18	1ea 1/8oz	R-EYE	1/0	12
SBARKY-14	1ea 1/4oz	R-EYE	3/0-5/0	
SBARKY-38	1ea 3/8oz	R-EYE	3/0-5/0	
SBARKY-12	1ea 1/2oz	R-EYE	3/0-5/0	


*R-EYE wires on page 32



Buzz Bait Molds

Cat. #	OZS	Wire	Hooks 32608N or 91706N	Price Grp
LMBB-18	1ea 1/8oz	BBW-2	1/0 or 2/0	12
LMBB-14	1ea 1/4oz	BBW-1	3/0-5/0	
LMBB-38	1ea 3/8oz	BBW-1	3/0-5/0	

*BBW wires on page 32



Casting Spoon Molds


Cat.#	OZS.	Inserts	Price Grp
LMCS-1	1ea. 1oz	BSE-1	12
LMCS-12-2	2ea. 1/2oz	BSE-1	



A 4oz. Super action salt and fresh water lure great for jigging, casting, or trolling. Accepts BSE-2 (pg. 29) or use Lure Making Wire (pg. 32) for an even stronger casting. Attach a dressed treble hook and you're ready for rod bending action!

Mickey Jig Mold

Cat. #	OZS.	Insert	Price Grp
MICKEY4	2ea. 4oz	BSE-2	15




Slab Jigging Spoon Molds

Cat.	OZS.	Inserts	Price Grp
LMSLAB	1ea 1/2oz	BSE-1	15
	1ea 1 1/2oz		
	1ea 2 1/2oz		
	1ea 5oz		

Cat. #	OZS.	Wire Inserts	Price Grp
LMSLAB-W	1ea 1/2oz	1/2 Slab	15
	1ea 1 1/2oz	3 RS Wire	
	1ea 2 1/2oz	2 1/2 Slab	
	1ea 5oz	5 Slab	


* Slab wires on page 32

Fins on this slab bend easily to create "wounded minnow" action. This slab spoon is a real producer!



Split Shot Molds

Cat. #	OZS	Price Grp
LMSHOT-1	6ea 1/64oz	12
	6ea 1/32oz	
	4ea 1/16oz	
	4ea 1/8oz	
LMSHOT-2	3ea 1/4oz	
	3ea 1/2oz	
LMSHOT-3	2ea 3/4oz	
	2ea 1oz	



Ears (above) Gripper Teeth (above)


Note: All split shot molds have Gripper Teeth to hold the line firmly without slipping. Removable split shot have EARS for removing/changing weights quickly. Use soft lead in these molds

Best Pinch-On Sinkers

Cat. #	OZS	Price Grp
LMBEST-1	2 ea. 1/16-1/8-1/4-3/8-1/2oz	15

10 cavity mold

- * Won't cut line; doesn't slip
- * Won't pinch or stress line
- * Faster, easier on & off
- * Re-useable



Note: use soft lead in this mold.

Best Pinch-On Instructions:

Put line under 1 ear, bend down; wrap 3 times in center groove; put line under other ear, bend down.

Rubr Kor Sinker Molds

Cat. #	OZS	Insert	Price Grp
RUBR-KOR-1	3 ea. 1/16-1/8-1/4oz	KOR-1	15
RUBR-KOR-2	2 ea. 1/4-3/8-1/2oz	KOR-2	
RUBR-KOR-3	1 ea. 3/4-1-1 1/2oz	KOR-3	

Phone # (714) 687-9160


Web Site: www.hiltsmolds.com

Removable Split Shot Molds

Cat. #	OZS	Price Grp
LMSHOT-1-R	6ea 1/64oz	13
	6ea 1/32oz	
	4ea 1/16oz	
	4ea 1/8oz	
LMSHOT-2-3-R	3ea #2	
	3ea #3	




Rubr Kor Sinkers:

Mold your lead sinker, trim the gate, insert the proper Rubr Kor (page 29), and you have a great non-sliding, quick change sinker.



Bullet Slip Sinker Molds

Cat. #	OZS	Price Grp
LMBULLET	1 ea. 1/8-1/4-3/8-1/2oz	15
LMBU-316-4	4 ea. 3/16oz	
LMBU-M	1 ea. 1/8-3/16-1/4-5/16oz	
LMBU-34-1	1 ea 1 oz. 3/4oz	



Spin Jig Mold

Cat. #	OZS	Price Grp
LMSJ	1 ea. 1/4-3/8-1/2-9/16oz	12

This mold makes bullet worm weights that have a collar for tying on skirt material. Very popular for flipping a Texas rigged worm in heavy cover. Mold supplied with cores to make .052 hole thru lead.



Bass Casting (Bell) Sinker Mold

Cat. #	OZS	Insert	Price Grp
LMBELL-M	2 ea. 1/8-1/4-3/8-1/2 3/4-1-1 1/2-2oz	BSE-1	15



Most popular mold for making sinkers that will fit a variety of fishing applications. You can make bass casting sinkers a few different ways to fit your particular needs:


- * Cast in a brass eye (BSE-1, pg. 29) for strength to use as universal sinker in still water, streams.
- * Cast with solid lead eye, eliminating the need for a BSE.
- * Cast in a brass sinker eyelet with a swivel attached for fishing rocky bottoms & fast moving water.



Cast in a #10 barrel swivel and you've got the perfect sinker for rolling you bait downstream into that spot where the fish are laying waiting for food to drift by.

Swivel Sinker Mold

Cat. #	OZS	Insert	Price Grp
LMSS-M	1 ea. 1/4-1/2-3/4-1oz	#10	12



Cat. #	OZS	Price Grp
LMSPIN	1 ea. 1/32-1/16-1/8 1/4-3/8-1/2oz	12

*needs In-Line Spinner Body Wire, pg. 32, for cores.

Phone # (714) 687-9160

Web Site: www.hiltsmolds.com


Page 20

Bank Sinker Molds

Cat. #	OZS	Price Grp	
LMBS-38-12	2ea. 3/8-1/2oz	15	
LMBS-34-1	2ea. 3/4-1oz		
LMBS-1-4	4ea. 1oz		
LMBS-2-4	4ea. 2oz		
LMBS-3-4	4ea. 3oz		
LMBS-4-4	4ea. 4oz		
LMBS-5-4	4ea. 5oz		
LMBS-6-2	2ea. 6oz		
LMBS-8-2	2ea. 8oz		
LMBS-10-2	2ea. 10oz		
LMBS-12-2	2ea. 12oz		
LMBS-16-1	1ea. 16oz		
LMBS-M	1ea. 2-3-4-5oz		Most Popular



Bank sinkers are the all time favorite economy sinker. The big ole' lead eye (eliminates the eyelet) accommodates #120 nylon, dacron, or monofilament. Great for casting from shore and drifting the bottom. Banks cast well and work good from pier or boat. Banks work well retrieved through rocks too.



Phone # (714) 687-9160

Egg Sinker Molds

Cat.#	OZS.	Price Grp
LME-18-16	16 ea. 1/8oz	15
LME-14-12	12 ea. 1/4oz	
LME-12-12	12 ea. 1/2oz	
LME-34-8	8 ea. 3/4oz	
LME-1-8	8 ea. 1oz	
LME-112-8	8 ea. 1 1/2oz	
LME-2-6	6ea. 2oz	
LME-212-6	6 ea. 2 1/2oz	
LME-4-6	6 ea. 4oz	
LME-6	1 ea. 6oz	
LME-8	1ea. 8oz	
LME-11	1ea. 11oz	
LME-4-4	1ea. 1-1/2-2-2 1/2-4oz	
LME-M	3 ea. 1/8oz, 2 ea. 1/4-1/2-3/4-1	

* Molds supplied with cored to make hole thru lead.


Egg sinkers are used when an "in-line" sinker is needed. They give you direct contact with your bait for better feel of the bite. This sinker is great when you want your bait to drift with current, spreading your presentation. 1/8 & 1/4oz are popular for fly lining live bait near the surface- they provide just enough weight to cast light anchovies and sardines in windy conditions.

Web Site: www.hiltsmolds.com

Page 21

3 Sided Pyramid Sinker Molds

Cat. #	OZS.	Insert	Price Grp
LMP-1-4	4ea. 1oz	BSE-2	15
LMP-2-4	4ea. 2oz	BSE-2	
LMP-3-4	4ea. 3oz	BSE-2	
LMP-4-4	4ea. 4oz	BSE-2	
LMP-6-4	4ea. 6oz	BSE-2	
LMP-M	1ea. 1-2-4-6oz	BSE-2	



Pyramid sinkers are very good in moving water because of the large proportion of holding power to weight ratio. Just look at that large triangle (all holding power). In sandy or muddy bottoms that large triangle also prevents the sinker from rolling.

GIGANTIC 3 Sided Pyramid Sinker Molds

Cat. #	OZS.	Insert	Price Grp
LMP-8-2	2 ea. 8oz	BSE-3	15
LMP-10-2	2 ea. 10oz	BSE-3	
LMP-12-2	2 ea. 12oz	BSE-3	
LMP-16-20	1 ea. 16-20oz	BSE-3	





We have some big friends that use these (one at a time) to cast into a "honey hole" way out in the Columbia River using a three way swivel. The sinker is on a leader just strong enough to do its sinking and holding job. When a salmon or sturgeon takes the bait, the leader is broken and the main line is free to fight the fish. In fast, deep rivers, these gigantic pyramids stay where you want them.

The walking sinker can be used to fish for a wide variety of fish species. It is known for its ability to work live bait rigs at or near the bottom in gravel and rocky areas for walleye where other sinker designs will hang up. Rugged as shown, this allows the fish to take the bait naturally with no resistance.

Walking Sinker Mold

Cat.#	OZS.	Price Grp.
LM-WALK-H	2ea. 1/4-1/2oz	12





Phone # (714) 687-9160

Web Site: www.hiltsmolds.com

Storm Sinker Molds


Cat. #	OZS	Insert	Price Grp
STORM 2-3-4-5	1 ea.	BSE-3	15
	2-3-4-5oz		
STORM 6-8	1ea. 6-8oz	BSE-3	

Storm sinkers are the thinking man's pyramid, and maybe more. Here's why: look at the length of sinker from eyelet to end compared to a pyramid. This weight shift to the end keeps the sinker from tumbling and gets more distance in surf casting. Ounce for ounce, the triangle top is about twice as large as that of a similar weight pyramid. More holding power per oz.




Claw Sinker Mold

Cat. #	Ozs	Insert	Price Grp.
LMCLAW-1	1 ea. 1-2-3-4oz	BSE-2	15
LMCLAW-2	1 ea. 5-6-8oz	BSE-2	



Bulldozer Sinker Mold


Cat. #	OZS	Insert	Price Grp
LMBD-1	1 ea.	BSE-2	15
	1-2-3-4-5oz		



Cannon Ball Sinker Molds

Cat. #	OZS.	Insert	Price Grp
LCMB-2-4-6-8	2ea. 2-4-6-8oz.	BSE-1	15
LCMB-M	1ea. 1-2-3-4oz	BSE-1	
LMCB-10 (1.4250" diam.)	1ea. 10oz	BSE-2	13
LMCB-12 (1.1/2" diam.)	1ea. 12oz	BSE-2	
LMCB-1 (1.700" diam.)	1ea. 1lb	BSE-2	
LMCB-20 (13/4" diam.)	1ea. 20oz	BSE-2	
LMCB-24 (1 7/8" diam.)	1ea. 24oz	BSE-3	
LMCB-2 (2 3/32" diam.)	1ea. 2lb	BSE-3	
LMCB-40 (2 1/4" diam.)	1ea. 40oz	BSE-3	
LMCB-3 (2 15/32" diam.)	1ea. 3lb	BSE-3	


Talk to fisherman that troll and you'll find that for just about as long as anyone can remember, the cannon ball weight has been used to put bait the same depth as the fish. Whether trolled with a three-way swivel, sinker release, or as a downrigger weight, the cannon ball weight reaches the most efficient depth and tracks the truest with the least amount of drag. True tracking means less tangles and efficient depth means more fish in the boat!



Hilts Quality Downrigger Balls are better because when turning near structure (where the fish are), they track true with all boat maneuvers. Other downrigger weights with planing surfaces track erratically and can ruin your whole day. Spend more time fishing with Hilts Downrigger Balls.

Down Rigger Ball Molds


Cat. #	OZS.	Inserts	Price Grp
LMDR-6	6lbs	All Molds use DP-12 Hardware kit, pg.29	20
LMDR-8	8lbs		
LMDR-10	10lbs		
LMDR-12	12lbs		





Banana Spin/Mooching SnkrMolds

Cat. #	OZS	Wire/Insert	Price Grp
LMBSS-1	1ea 1oz	1 BSS WIRE or BSE-1	15
	1ea 1 1/2oz	1 1/2 BSS wire or BSE-1	
	1ea 2oz	2 BSS WIRE or BSE-1	
	1ea 2 1/2oz	2 1/2 -3 BSS WIRE or BSE-1	
	1ea 3oz	2 1/2 -3 BSS WIRE or BSE-1	
LMBSS-2	1ea 3 1/2oz	3 1/2 BSS WIRE or BSE-1	
	1ea 4oz		
	1ea 4 1/2oz		
LMBSS-3	1ea 5oz	8/12 BSS WIRE or BSE-1	
	1ea 8oz		
	1ea 10oz		
	1ea 12oz		

inserts pg. 29, wires pg. 32



One effective fishing technique our forefathers gave us is mooching. Today's technology has increased effectiveness, but using mother nature's currents, winds, and wave action to cover more water for location and give action to our baits through movement is one of the most effective ways to fish. The basic rig is an inline weight with a chain or swivel between the weight and leader. Leaders, typically about 36" long, have two hooks to harness either a whole bait or a cut plug. Usually the banana spin, torpedo, or ring sinkers are used for mooching. The amount of line you have between your rod and bait and the size of weight help to determine depth while wind, current, and wave action do the rest.




Torpedo/Ring Sinker Molds

Cat. #	OZS	Insert	Price Grp
LMRS-1	1ea. 1oz	BSE-1	12
LMRS-2	1ea. 2oz	BSE-1	
LMRS-3	1ea. 3oz	BSE-1	
LMRS-4	1ea 4oz	BSE-1	13
LMRS-6-2	2ea. 6oz	BSE-3	15
LMRS-8	1ea. 8oz	BSE-3	
LMRS-12	1ea. 12oz	BSE-3	
LMRS-16	1ea. 16oz	BSE-3	




Rock Cod Sinker Molds

Cat. #	OZS.	Insert	Price Grp
LMRC-1	1ea. 1LB	All molds require BSE-3 pg 29	13
LMRC-2	1ea. 2LB		
LMRC-3	1ea. 3LB		
LMRC-4	1ea. 4LB		15
LMRC-5	1ea. 5LB		



Deep Sea Troll Head Mold

Cat. #	OZS.	Price Grp
LMDSTH	1ea, 1 1/2-3-5-10oz	15



Silver Dollar Sinker Molds

Cat. #	OZS.	Insert	Price Grp
LMSD	1 ea. 3-5-8oz	BSE-2	15

Silver Dollar sinkers are an old-stand by for drifting baits and river fishing. The rounded, flat surface works well for slow drag drifts.

Snagless Sinkers Mold

Cat. #	Sizes*	Price Grp
LMSNAGLESS	1 ea. Sizes 3/8-1/2-5/8-7/8- 1-2-3-4-5-6	15

***sizes for distinction, not an indication of weight.**

3/8=4gr 1/2=3gr 5/8=4gr 7/8=6gr 1=9gr 2=11gr 3=17gr 4=26gr 5=37gr 6=51gr




Fish fast water with rocky or gravel bottom? Snagless sinkers are the answer. Snagless sinkers have a slight cup shape and wobble their way through the rocks. I've found that fishing moving water with rough bottom generally requires several sizes of weight to balance your rig against the depth and speed of the water, so it just tics on the bottom lightly.

Pencil Sinkers Mold

Cat. #	OZS*	Price Grp
LMPS-1	2 ea. .42oz, .85oz, 1.87oz	13

* due to the unique nature of this mold, these weights are approximate.

Pencil sinkers offer the ability to pull your bait free from the bottom and quickly replace your weight in a piece of surgical tubing tied to a swivel. You can easily adjust the amount of weight as well. Diameters: 3/16", 1/4", 3/8"



(12gr or .42oz)

(24gr or .85oz)


(53gr or 1.87oz)




Cushion Sinkers Mold

Cat. #	OZS	Insert	Price Grp
LMC	1 ea. 1/4-1/2-3/4- 1-1 1/2-2oz	BSE-2	15

pg 29




Specialty Molds



Wrap Around Decoy Anchor

Cat. #	OZS	Price Grp
LMDA-2	1ea 2 1/2oz	15
LMDA-6	1ea 6oz	

Great for keeping your decoy anchor cords neat and from coming unwound while being stored and transported!




Mushroom Style Anchor

Cat. #	OZS	Price Grp
LMDA-5-12	1 ea	15
	5-12oz	

Excellent decoy anchor for holding decoys in strong winds and/or currents!

Muzzle Loading Ball Molds

Cat. #	Diameter/Ball Size	Price Grp
ML-45-CAL-5 .45 CALIBER	5 ea. .440" diameter	12
ML-454-CAL-5 .45 CAL. PISTOL	5 ea. .454" diameter	
ML-50-CAL-5 .50 CALIBER	5 ea. .490" diameter	
ML-54-CAL-5 .54 CALIBER	5 ea. .530" diameter	



Barrel Swivels

Cat. #	Qty	Size	Price
BS-10	100	10	\$6.99
BS-7	100	7	\$6.99

Crane Snap Swivels

Cat. #	Qty	Size	Price
CSS-10	100	10	\$12.99
CSS-7	100	7	\$14.99

Brass Sinker Eyelets

Cat. #	Qty	Size	Price
BSE-1	100	No. 1	\$3.75
BSE1-1100	1lb (approx. 1100 eyes)		\$16.25
BSE-2	100	No. 2	\$5.00
BSE2-630	1lb (approx. 630 eyes)		\$16.25
BSE-3	100	No. 3	\$6.25
BSE3-310	1lb (approx. 310 eyes)		\$16.25



Down Rigger Hardware Pk

Cat. #	Qty	Price
DP-12	12 BSE-3 Long & 12 Downrigger Eyes	\$8.74
DP-12-FISH	24 Downrigger Eyes	\$9.99

Hollow Brass Beads

Cat. #	Qty	Size	Price
HBB-18	100	1/8"	\$1.99
HBB-532	100	5/32"	\$1.99

Lure Making Tools

Cat. #	Description	Price
SRP-1	Split Ring Pliers	\$4.49
CCS	Craft Carve Knife Set	\$14.99
NP-1	Needle Nose Pliers	\$6.99
SSMS	5 1/2" Overall Super Sharp Micro Scissors	\$6.99
PTK-1	NP-1, SSMS, & HR1 Together, save\$\$	\$19.99
HR-1	Hemostat	\$6.99
GC-1	Gate Cutter	\$9.99

Crane Swivels

Cat. #	Qty	Size	Price
CSN-10	100	10	\$7.99
CSN-7	100	7	\$7.99

Three Way Swivels

Cat. #	Qty	Size	Price
TWS-4	100	4	\$23.99
TWS-2	100	2	\$34.99
TWS-1/0	100	1/0	\$45.99

Cross Lock Snaps

Cat. #	Qty	Size	Price
CLS-2	100	2	\$10.99
CLS-4	100	4	\$14.99

Stirrup Clevises

Cat. #	Qty	Size	Price
SCNP-4	100	4	\$3.99

Rubbr Kor Inserts

Cat. #	Qty	Size	Price
KOR-1	100	1	\$2.99
KOR-2	100	2	\$2.99
KOR-3	100	3	\$4.49

Split Rings










Cat. #	Qty	Size	Price
SR-3	100	3	\$4.49
SR-10	100	10	\$13.99

Mold Parts

Cat. #	Qty	Price
Sml Handle	1	\$2.50
Lg Handle	1	\$2.50
Downrigger Handle	1	\$4.50
Sml Core Pin, Egg Snkr	2	\$2.00
Med Core Pin, Egg Snkr	2	\$3.00
Lg Core Pin, Egg Snkr	1	\$3.00
Core Pin, Bul Slip Snkr	1	\$10.00
Hot Pot Handle	1	\$4.50

If you are not sure of the size part you need,
contact us here at Hilts Molds, we'll be glad
to help you get the correct parts!

Hook Descriptions

Hook #	Description	
32760	Eyed, Bronzed, Extra Short Shank Bent Down, Extra Strong	
32762	Eyed, Gold Plated, Extra Short Shank Bent Down, Extra Strong	
91750	Not Forged, Eyed, Dura Tinned, Shank Bent Down. Cadmium Plated	
91751	Not Forged, Eyed, Bronzed, Shank Bent Down.	
34184	Forged, Eyed, Special Tinned, Extra Long Shank Bent Down	
34185	Forged, Eyed, Special Tinned, Short Shank Bent Down	
34081	Forged, Large Ring, Special Tinned	
32608N	Forged, Ringed, Nickel Plated, Round Bend, Ultra point	
575-H	Gold Plated, Aberdeen Style, Heavy Wire	
32786BLN	NEW! Black Nickel Plated, Extra-Strong, 60-degree shank, wide-bend (see 34185 pic)	
91706N	Nickel Plated, Smaller Eye, Straight Shank	

Hooks & Fiber Preforms

#32760,100pk

Size	Price
#10	\$5.99
#8	\$5.99
#6	\$5.99
#4	\$5.99
#2	\$5.99
#1	\$5.99
1/0	\$5.99
2/0	\$6.99
3/0	\$7.99
4/0	\$8.99
5/0	\$9.99

#32762,100pk

Size	Price
#10	\$7.99
#8	\$7.99
#6	\$7.99
#4	\$7.99
#2	\$7.99
#1	\$7.99
1/0	\$8.99
2/0	\$8.99
3/0	\$9.99
4/0	\$9.99

#91751,100pk

Size	Price
#4	\$6.99
#2	\$6.99
#1	\$6.99
1/0	\$6.99
2/0	\$6.99
3/0	\$7.99
4/0	\$8.99
5/0	\$14.99

#34184,100pk

Size	Price
3/0	8.99
4/0	8.99
5/0	\$34.99
6/0	\$35.99
8/0	\$35.99

#34081,100pk

Size	Price
10/0	\$59.99
12/0	\$64.99

#91750,100pk

Size	Price
1/0	\$6.99
3/0	\$7.99
5/0	\$14.99
6/0	\$29.99
57/0	\$34.99

#91706N,100pk

Size	Price
1/0	\$7.99
2/0	\$8.99
3/0	\$9.99
5/0	\$10.99

#34185,100pk

Size	Price
7/0	\$39.95

#32608N,100pk

Size	Price
1/0	\$7.99
2/0	\$8.99
3/0	\$8.99
5/0	\$9.99

#575-h,100pk

Size	Price
1/0	\$35.99
2/0	\$35.99
3/0	\$35.99
4/0	\$35.99

#32786BLN100pk

Size	Price
1/0	\$7.99
2/0	\$7.99
3/0	\$7.99
4/0	\$7.99
5/0	\$19.99
6/0	\$24.99
7/0	\$27.99
8/0	\$27.99

Fiber Preforms & Bundle

Cat. #	Color	Qty	Price
FP-5-BLK	Black	100	6.99


*Fiber Preforms are 1/8" diameter x 1 3/4" long



Slab/Casting Spoon/Torpedo-Ring Sinker Wires

Cat#	Qty	Price
1-RS-WIRE	100	\$9.99
2-RS-WIRE	100	\$9.99
3-RS-WIRE	100	\$9.99
4-RS-WIRE	100	\$9.99
8-RS-WIRE	100	\$10.99
12-RS-WIRE	100	\$10.99
16-RS-WIRE	100	\$10.99

Cat#	Qty	Price
1/2-SLAB WIRE	100	\$9.99
2 1/2-SLAB WIRE	100	\$10.99
5-SLAB WIRE	100	\$10.99




All wires .052 diameter stainless steel

In-Line Spinner Body Wire

Cat#	Qty	Price
SB-WIRE	100	\$9.99

.031 diameter wire for use with spinner bodies molded from LMSPIN mold, pg. 20



Banana Spin Wires

Cat#	Qty	Price
1-BSS-WIRE	100	\$12.99
1 1/2-BSS-WIRE	100	\$13.99
2-BSS-WIRE	100	\$13.99
2 1/2-3-BSS-WIRE	100	\$14.99
3 1/2-5-BSS-WIRE	100	\$14.99
8-12-BSS-WIRE	100	\$14.99



All wires .052 diameter stainless steel




Lure Makin' Wire

Cat#	Qty	Price
LM-WIRE	50 feet	\$12.99

Bend wire to your own forms, or use with any other molds requiring wire; .045 diameter

Spinner/Buzz Bait Wires

Cat#	Qty	Price
R-EYE	100	\$9.99
BBW-1	100	\$14.99
BBW-2	100	\$9.99




* R-EYE Wire, .040 diameter.

Lead Melting Equipment

Hot 2 Pot

Cat#	Qty	Price
Hot Pot 2	1	\$44.95
Extra Heater Element	1	\$21.95



The Hot 2 Pot is a vast improvement over the original Hot 1. Features include:

- * Melts 4lbs of lead in minutes, then keeps it at the proper temperature.
- * Cast iron body holds heat, while a cool plastic handle prevents burns.
- * Rugged heating element is mounted externally for safety, long life, & easy replacement.
- * 120 Volts, 500 Watts, 3" diameter x 1 3/4" depth, 3 foot cord.

Lead Ingot Mold

Cat#	Qty	Price
LIM	1	\$29.95



Keep your lead in easy to use 1lb ingots with this handy ingot mold. Mold has 5 - 1lb cavities.

Powder Coat Paints

by Pro-Tec



Top L-R: Bright Green, White, Red, Chartreuse, Yellow
Bottom L-R: Glow-in-Dark, Black, Flame Red, Purple

Pro Tec Powder Coating products allow anyone to make brilliant, super-durable, high-gloss lures in less than 10 seconds! Simply heat the lure over any flame (lighter, torch, etc.). 1/4oz jig head requires 5-6 seconds (excessive heat will cause powder to smoke or bubble). Swish the hot lure into the powder coat. You'll be amazed as you watch it gloss over before your eyes! Colors can be recoated or changed any time. For extreme durability, preheat your oven to 350 degrees, hang & bake lures for approximately 20 minutes.

Features:

- * Easy to apply
- * One coat- no primer or basecoat required
- * No stirring or thinning
- * Instant drying
- * Paint never dries out

Pro-Tec Powder Paints are the perfect way to finish your Hilts Molds fishing tackle!

Cat#	Qty	Price
PC Bright Green	1	\$7.29
PC White	1	\$7.29
PC Red	1	\$7.29
PC Chartreuse	1	\$7.29
PC Yellow	1	\$7.29
PC Glow-in Dark	1	\$7.29
PC Black	1	\$7.29
PC Flame Red	1	\$7.29
PC Purple	1	\$7.29

The Fish Downrigger Mold!



You asked for it, Hilts Molds delivered it. In 2005 we added the 10lb fish downrigger mold. Now Hilts Molds has added the 8lb fish downrigger mold. These are perfect for those guys needing something a little better than the average downrigger. These baby's track true, and they're a great fish attractor as well! These molds have 2 separate pieces, a different design than other Hilts products, to allow the unique fish shape to be formed perfectly cast after cast. Another difference with this mold is the need to use 2 large downrigger eyes with each casting- our new *DP-12-FISH pack has enough of our highly super strong downrigger eyes to make 12 of these great fish-shaped downriggers. When you need the very best downrigger you can get, make the best with your own Hilts Molds 10lb / 8lb Fish Downrigger Molds!



Cat#	Size	Price Grp
LMDR-FISH	8lb	25
LMDR-FISH	10lb	25
*DP-12-FISH	24pcs	\$9.99

Fish Downrigger Helpful Hint

When using the Fish Downrigger Mold, it's a good idea to apply some bar soap to the fish eyes to get them to stay in place in the mold before closing- this will save you time & aggravation! The soap will melt away with no harm to the downrigger.